

Moon Light

Assembly
Guide

pedestal®

Moon Light

Congratulations on your new Pedestal product and welcome to a more colorful way of living. You are now part of a design universe where thoughtful details and bold character come together to elevate your interior.

Rooted in Scandinavian design tradition, our products are crafted with a deep commitment to quality, simplicity, and functionality. This is where form follows function – playfully.

So let’s get started.

/Pedestal



Moon Light is designed by Pedestal ApS.
Ib Spang Olsens Gade 12, 8200 Aarhus N, Denmark.


Copyright © Pedestal ApS - All rights reserved.

Scan the QR code to explore all our guides or get in touch at pedestal.com.

Parts


Assembly kit – Step 1

Putting your Pedestal together.




VESA-Kit – Step 2

Mounting your screen.



1.0 Mount the brackets




Task

Loosely attach the brackets using the M6 bolts from the bag marked STEP 1. Just use your fingers – no need for tools yet.

Parts

8x M6 x 35mm bolt

1.1 Tighten the bolts




Task

Tighten all bolts with the 4 mm Hex Key. Psst... that's the second-largest hex key in the kit. Give them all a confident twist – just be careful not to overtighten.

Parts

1x Hex Key 4 mm

2.0 Mount the wheels




Task

With the stand flipped upside down, attach all four wheels using the open side of the wrench tool.

Parts

4 × Casters

2.1 Wheel mounting




Close-up view of step 2.0

You're doing great!

We're ready to mount your screen.

3.0 Mount TV brackets



Task

Place your screen face-down on a soft surface like a cloth or blanket to prevent damage.

Mount the brackets vertically using the VESA holes on the back of your TV.
Use the hardware provided in the bag marked STEP 2.


For help choosing the right hardware, see step 3.1.

Parts


4 x Suitably sized bolts
4 x M6 or M8 washers
At least 4 x Suitably sized spacers

3.1 TV brackets fitting

Correct fit



Incorrect fit



Don't panic!


Don't worry when you see all those bolts, washers, and spacers — you won't need them all. We've included a generous selection to fit as many screen types as possible.

Start by figuring out what fits your screen best. If your screen has a curved back or a bulky center, you may need to stack a few extra spacers so the brackets sit comfortably without touching the screen directly.

Now, thread the correct bolt through a washer, into the bracket, then through any necessary spacers, and finally into the threaded holes on the back of your screen.

Tighten everything until it feels snug — not super tight. The bolts shouldn't reach the bottom of the holes. Give them a confident twist, but don't flex your muscles too much. Overtightening can damage the screen — and we'd rather keep things in one beautiful, functioning piece.


Having trouble finding the perfect spacer?



No problem!

Just stack, mix, and match until everything fits nicely.


4.0 Mount screen



Task

Carefully lift and lower the screen onto the stand.
It helps to have a friend for this step – screens can be heavy and awkward to handle!

4.1 Mount screen




Hot tip!

Give the screen a gentle tilt as you lower it – this helps the bottom ends of the TV brackets hook neatly into place.

5.0 Mount safety hooks

All done!




Task

Secure the screen to the stand using the safety hooks. Tighten the bolts until snug. No need to overtighten – just tighten until secure. Overdoing it can damage the threads.

Parts

2 x M5x6mm Bolts



Task

That's it!
Time to connect your cables, grab the remote, and dive into your favorite show. You've earned it.

